

BLÜCHER®
LINEA

PRODUCT CATALOGUE



BLÜCHER® LINEA is a streamlined and sleek drainage solution manufactured from 316 stainless steel which enables it to be used for both internal and external applications.

Combining modern aesthetics with robust functionality, this channel is designed to seamlessly integrate into various architectural environments, providing a clean and elegant look.

The modular system uses a variety of straight sections, 0.5m, 1m and 3m combined with “T” sections and 90 degree corners giving you the flexibility to achieve a contemporary appearance with easy installation.


With a focus on precision engineering, BLÜCHER® LINEA represents the perfect blend of form and function for sophisticated drainage solutions.

www.blucher.com/linea

FEATURES


- High-quality
- Modular
- Corrosion resistance
- Easy installation
- **Stainless Steel AISI 316L** / EN 1.4404 is selected as the standard offering due to the increased corrosion resistance over that of Stainless Steel AISI 304/ EN 1.4301, and is perfectly suited to external surface water applications. If Stainless Steel AISI 304 / EN 1.4301 is required specify type no. without suffix S.
- Available in lengths:
500 mm **1000 mm** **3000 mm**

BLÜCHER® LINEA PRODUCT CATALOGUE




CHANNEL TYPE 670.xxx STRAIGHT

Type no.	EAN no.	F	F1	I1	H	H5	Kg
670.050.015.55 S	5705499001440	500	177	147	72	55	2,3
670.050.015.85 S	5705499001464	500	177	147	104	85	2,76
670.100.015.55 S	5705499001488	1000	177	147	72	55	4,45
670.100.015.85 S	5705499001501	1000	177	147	104	85	5,27
670.300.015.55 S	5705499001525	3000	177	147	72	55	11,73
670.300.015.85 S	5705499001549	3000	177	147	104	85	13,96



CHANNEL TYPE 670.910 WITH CENTER OUTLET


Type no.	EAN no.	D	F	F1	I1	H	H1	H5	W3	Kg
670.910.015.55 S	5705499001747	110	500	177	147	134	79	55	250	2,54
670.910.015.85 S	5705499001761	110	500	177	147	164	79	85	250	3,45



CHANNEL TYPE 670.900 WITH END OUTLET


Type no.	EAN no.	D	F	F1	I	I1	H	H1	H5	W3	Kg
670.900.015.55 S	5705499001709	110	503	177	500	147	134	79	55	70	2,63
670.900.015.85 S	5705499001723	110	503	177	500	147	164	79	85	70	3,61

BLÜCHER® LINEA PRODUCT CATALOGUE




CHANNEL TYPE 670.090.015 CORNER

Type no.	EAN no.	F	F1	F2	I	I1	I2	H	H5	Kg
670.090.015.55 S	5705499001563	515	177	512	500	147	350	72	55	4,26
670.090.015.85 S	5705499001587	515	177	512	500	147	350	104	85	4,97




CHANNEL TYPE 670.180 T-SECTION

Type no.	EAN no.	F	F1	F2	I1	I2	H	H5	Kg
670.180.015.55 S	5705499001600	500	177	512	147	350	72	55	3,82
670.180.015.85 S	5705499001624	500	177	512	147	350	104	85	5,01



CHANNEL TYPE 670.000 END PLATE


Type no.	EAN no.	F	F1	I1	H	H5	Kg
670.000.015.55 S	5705499001648	5	177	147	72	55	0,4
670.000.015.85 S	5705499001662	5	177	147	104	85	0,55



CHANNEL TYPE 670.001 END PLATE WITH OUTLET

Type no.	EAN no.	D	F	F1	I1	H	H1	H5	Kg
670.001.015.85 S	5705499001686	50	5	177	147	104	60	85	0,57


BLÜCHER® LINEA PRODUCT CATALOGUE



TYPE 697.671.150 BLÜCHER® LINEA GRATING


Type no.	EAN no.	H	G	G1	EN1253 (kg)	EN1433 (kg)	Kg
697.671.150.34 S	5705499001778	25	349	144	R50 (3.333)	B125 (8.333)	1,78
697.671.150.49 S	5705499001785	25	499	144	R50 (3.333)	B125 (8.333)	2,53
697.671.150.99 S	5705499001792	25	998	144	R50 (3.333)	B125 (8.333)	5,05

ACCESSORIES




TYPE 670.EPDM GASKET

Type no.	EAN no.	F1	l1	H	H5	T	Kg
670.EPDM.015.55	5705499001808	177	147	72	54	2	0,01
670.EPDM.015.85	5705499001815	177	147	104	84	2	0,01



TYPE 670.080 ADJUSTABLE LEG

Type no.	EAN no.	H	M	W	Kg
670.080.001	5705499001822	80	8	70x70	0,1




TYPE 670.M8 SCREWS


Type no.	EAN no.	D2	H6	M	NV	Kg
670.M8.016 S	5705499001839	14	16	8	5	0,01
670.M8.025	5705499001846	18	25	8	14	0,03

BLÜCHER® LINEA INSTALLATION INSTRUCTIONS



1



2




3





13 mm

4




5




13 mm


6




7




8




9




10



11



12





STREAMLINED

MODULAR

AESTHETIC

EASY INSTALL

BLÜCHER[®]

A WATTS Brand